




A	459/10283	Clutch Power Take Off Front Supersession >	1
20	459/M2078	Cover PTO - Front	1
40	916/10027	Bearing	1
50	2203/1082	Circlip	1
60	904/20172	Seal Triple Lip < Supersession	1
70	916/M2034	Bearing	1
80	921/M2031	Spacer	1
100	459/50832	Shaft Clutch Housing > No Longer Available	1
110	904/50024	Seal Ring < Supersession	3
120	445/12305	Baffle Plate, Oil	1
130	828/10181	O Ring 130mm I/D	1
140	459/10271	Piston Assembly	1
150	814/00297	Spring Compression	1
170	828/00224	O Ring 39.7mm I/D X 3.53mm	1
180	445/12304	Retainer spring	1
190	821/00523	Circlip	1
200	331/16517	Plate Pressure,Clutch 6.0 mm	0
210	331/16516	Plate counter, clutch	12
220	331/16520	Plate friction, clutch	12
230	459/M2063	Carrier Shaft Plate	1
250	331/16550	Plate pressure, clutch 6.5 mm	0
260	821/M2136	Circlip internal Supersession >	1
280	917/51800	Bearing needle roller	1

290	916/50300	Bearing	1
300	826/10493	Dowel locating 8 x 30	3
310	459/70099	Piston brake	1
320	904/20168	Seal rectangular	1
330	904/50035	Seal brake	1
340	331/17525	Plate friction	2
350	331/17526	Plate counter brake	1
360	459/70474	Retainer Threaded	1
370	816/80051	Plug 1/8" Tapered	1
400	821/00299	Circlip external	1
410	816/80041	Plug 1/2"BSP 25.65mm A/F	2
420	1406/0018	Washer Bonded (1/2" BSP) < Supersession	2
440	331/16519	Plate Shim, Clutch 1.2mm	1
450	716/30123	Sensor Engine/Transmission Speed. Supersession >	1
460	1321/0301Z	Screw M8 x 12	1
490	1406/0011	Washer Bonded < Supersession	1