




333-S0912-1

|    |                |                                                                |    |
|----|----------------|----------------------------------------------------------------|----|
| A  | ⊘ Not for sale | GA Loader End 426 ZX                                           | 1  |
| 1  | 333/R6724      | Arm loader Z Bar black<br>Supersession >                       | 1  |
| 2  | 265/01019      | Spacer<br>POS.O                                                | 2  |
| 3  | 333/R6729      | Lever Z Bar black                                              | 1  |
| 4  | 333/R6731      | Link Z Bar black<br>< Supersession                             | 1  |
| 5  | ⊘ Not for sale | GA Ram Lift<br>< Supersession                                  | 2  |
| 6  | 565/60140      | Ram tilt<br>Supersession >                                     | 1  |
| 7  | 809/00140      | Bearing Liner 75 x 84.75mm<br>POS.M,N,P                        | 2  |
| 8  | 809/00115      | Bearing Liner 65mm ID / 75mm OD<br>Supersession ><br>POS.B,F   | 4  |
| 9  | 809/00119      | Bearing Liner 90x117 lg.<br>Supersession ><br>POS.L            | 2  |
| 10 | ⊘ Not for sale | GA Pin Pivot 75mm x 187mm Lg.<br>< Supersession<br>POS.M,N,P,R | 4  |
| 11 | ⊘ Not for sale | GA Pin Pivot 65mm x 172mm Lg.<br>< Supersession<br>POS.B       | 2  |
| 12 | ⊘ Not for sale | GA Pin Pivot 90mm x 262mm Lg.<br>< Supersession                | 1  |
| 13 | ⊘ Not for sale | GA Pin Pivot 65mm x 139mm Lg.<br>< Supersession<br>POS.F       | 2  |
| 14 | 332/W0176      | Pin pivot 65mm x 255mm Lg.<br>< Supersession<br>POS.K          | 2  |
| 15 | 813/00415      | Seal Pivot Pin<br>POS.M,N,P & 4-OFF FO                         | 10 |

|    |            |                                                                 |    |
|----|------------|-----------------------------------------------------------------|----|
| 16 | 813/00414  | Seal 65mm Internal Dia.<br>POS.B,F & 4-OFF FOR                  | 12 |
| 17 | 830/00599  | Spacer Keep Plate<br>ALL EXCEPT POS.F,O,L                       | 3  |
| 18 | 819/00094  | Shim 65 i/d 1mm thick<br>< Supersession<br>POS.B,F,K            | 18 |
| 19 | 1315/0708D | Setscrew M16 x 30 G8.8<br>< Supersession<br>POS.B,M,N,PR -SEE N | 6  |
| 20 | 1412/0007D | Washer (5/8" Large)<br>POS.B,K,M,N,PR,                          | 8  |
| 21 | 1450/0001  | Nipple Grease Straight 1/8"<br>< Supersession<br>ALL POS.       | 13 |
| 22 | 1370/0403D | Nut Lock M12<br>< Supersession<br>POS.F                         | 2  |
| 23 | 816/20034  | Adaptor M/F 1/8"BSP<br>POS.J,K                                  | 4  |
| 24 | 1315/0710D | Setscrew M16 x 40mm<br>< Supersession<br>POS.K - SEE NOTE       | 2  |
| 25 | 332/W0209  | GA Pin Pivot 90mm x 247mm Lg.<br>< Supersession<br>POS.L        | 2  |
| 26 | 813/00416  | Seal 90mm Internal Dia<br>POS.L,O                               | 6  |
| 27 | 819/00104  | Shim 1mm<br>POS.L                                               | 6  |
| 28 | 1315/3524D | Bolt M12 x 140mm<br>POS.F                                       | 2  |
| 29 | 1420/0009D | Washer Plain M12<br>< Supersession<br>POS.F                     | 4  |
| 30 | 809/00152  | Bearing Liner<br>POS.O                                          | 1  |
| 31 | 819/00114  | Shim 90mm<br>POS.O                                              | 5  |

|    |                |                                                         |    |
|----|----------------|---------------------------------------------------------|----|
| 32 | 819/00103      | Shim 1mm Thick 75mm I.D<br>POS.M,N,PR                   | 12 |
| 33 | 649/30800      | Hose grease 1/8"BSP x 1100mm<br>REMOTE GREASING/R       | 1  |
| 34 | 200/04604      | Adaptor<br>< Supersession<br>REMOTE GREASING/R          | 1  |
| 35 | 826/01453      | Tie Cable Double Headed 210mm<br>REMOTE GREASING/R      | 6  |
| 36 | ⊘ Not for sale | Grease Heavy Duty<br>A/R SEE NOTE POS.R                 | 0  |
| 37 | 816/00420      | Adapter 90 deg.<br>Supersession ><br>REMOTE GREASING/R  | 1  |
| 38 | 1403/0001      | Washer Aluminium<br>< Supersession<br>REMOTE GREASING/R | 1  |
| 39 | 1315/0810D     | Setscrew M20 x 40mm<br>POS.O,L - SEE NOTE               | 3  |
| 40 | 823/10393      | Washer large<br>POS.O,L                                 | 3  |
| 41 | 829/30751      | Spacer<br>POS.O,L                                       | 3  |
| 42 | 4101/0000      | Fluid level                                             | 0  |