


A790-6-1 OTHER UTILITY ATTS POLE MASTER INSTALLATION KIT



128-E3291-1

|     |             |                                   |    |
|-----|-------------|-----------------------------------|----|
| A   | 128/E3291   | Kit installation Polemaster       | 1  |
| 10  | :334/E3293  | Manual fitting instructions       | 1  |
| 30  | :817/70014  | Label ISO-01A                     | 1  |
| 40  | :817/70040  | Decal warning of power cables     | 1  |
| 50  | :332/P4655  | Label Label ISO-11G               | 1  |
| 60  | :332/C9607  | Label ISO-14A                     | 1  |
| 70  | :332/S5833  | Label Tie Down                    | 4  |
| 80  | :9831/0350  | Handbook supplement               | 1  |
| 90  | :334/E3298  | Decal polemaster tower LH         | 2  |
| 100 | :334/E3266  | Decal loader arm, Polemaster      | 2  |
| 110 | :128/E1678  | Tower LH Polemaster               | 1  |
| 120 | :128/E1680  | Tower RH Polemaster               | 1  |
| 130 | :334/D1458  | Guard screen                      | 1  |
| 140 | :334/D1263  | Support pole top                  | 1  |
| 150 | :1315/0711Z | Bolt M16 x 45mm<br>< Supersession | 12 |
| 160 | :1370/0603Z | Nut Lock, M16<br>< Supersession   | 28 |
| 170 | :1420/0011Z | Washer (M16)<br>< Supersession    | 36 |
| 180 | :4003/0200  | Grease                            | 2  |
| 190 | :334/D1908  | Pin pivot 59.9dia x 380           | 2  |
| 200 | :1370/0403Z | Nut Lock, M12<br>< Supersession   | 8  |
| 210 | :823/00471  | Shim 1.45mm max<br>Supersession > | 2  |

|     |                |                                               |   |
|-----|----------------|-----------------------------------------------|---|
| 220 | :1315/3524Z    | Bolt M12 x 140 Lg.                            | 2 |
| 230 | :1420/0009Z    | Washer Plain M12<br>< Supersession            | 2 |
| 240 | :653/00162     | Pipe Grease                                   | 2 |
| 250 | :1450/1007     | Nipple Grease<br>< Supersession               | 2 |
| 260 | :4101/0100     | Fluid Locking                                 | 1 |
| 270 | ⊗ Not for sale | Oil Mineral                                   | 1 |
| 280 | :1315/3520Z    | Bolt M12 x 100mm<br>< Supersession            | 4 |
| 290 | :821/10110     | Ring retaining                                | 2 |
| 300 | :334/D1910     | Pin pivot lift ram dumo end                   | 2 |
| 310 | :823/10750     | Spacer 51.2 x 75 x 4mm                        | 2 |
| 320 | :823/00220     | Shim 1.40mm Thick                             | 2 |
| 330 | :1450/0001     | Nipple Grease Straight 1/8"<br>< Supersession | 2 |
| 340 | :823/00237     | Shim 0.95mm Thick<br>< Supersession           | 2 |
| 350 | :1315/1014Z    | Bolt M24 X 60                                 | 2 |
| 360 | :1315/1009Z    | Bolt M24 X 35                                 | 2 |
| 370 | :823/10308     | Washer<br>> No Longer Available               | 4 |
| 380 | :821/10397     | Collar locking<br>Supersession >              | 2 |
| 390 | :1315/3519Z    | Bolt M12x90mm<br>< Supersession               | 2 |
| 400 | :334/C9724     | Support shovel top                            | 1 |
| 410 | :334/C9513     | Support shovel bottom                         | 1 |
| 420 | :334/E1072     | Bracket RH load ring                          | 1 |
| 430 | :334/E1228     | Bracket LH load ring                          | 1 |

