




506-23 TC [T4F 55kW] > B390-10-5 OTHER LOADER PARTS WEAR PADS LOCATIONS



|    |                |                                                                                                                                                         |    |
|----|----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| A  | ⊘ Not for sale | Pad Wear Pad Components                                                                                                                                 | 1  |
| 1  | 160/00992      | <a href="#">Pad wear assy</a><br><i>possible shim options 162/03186 Shim 150x60x1.5 162/03187 Shim 150x60x3.0</i>                                       | 4  |
| 2  | 162/01553      | Shim 150 x 60 X 1.6THK                                                                                                                                  | 0  |
| 3  | 162/01554      | Shim 150 x 60 x 3.0THK                                                                                                                                  | 0  |
| 4  | 158/30180      | Shim 150 x 60 x 0.7 THK<br>< Supersession                                                                                                               | 0  |
| 5  | 162/01551      | Plate wear pad support                                                                                                                                  | 1  |
| 6  | 1318/0508Z     | Setscrew M12 x 30 mm lg,TUF-LOK                                                                                                                         | 8  |
| 7  | 1420/0009Z     | Washer Plain M12<br>< Supersession                                                                                                                      | 54 |
| 8  | 160/00991      | Pad wear assy 150 x 95 x 22mm<br>< Supersession<br><i>162/02505 Shim 150x95x0.7mm 162/01556 Shim 150 x 90 x 1.6THK 162/01557 Shim 150 x 90 x 3.0THK</i> | 4  |
| 8  | 335/F5940      | Pad Wear 150 X 95mm<br>Alternative Part                                                                                                                 | 4  |
| 9  | 162/02505      | Shim 150x95x0.7mm                                                                                                                                       | 0  |
| 10 | 162/01556      | Shim 150 x 90 x 1.6THK                                                                                                                                  | 0  |
| 11 | 162/01557      | Shim 150 x 90 x 3.0THK                                                                                                                                  | 0  |
| 13 | 335/B5625      | Pad Wear Assembly<br>< Supersession                                                                                                                     | 1  |
| 14 | 162/02680      | Shim 280x80x3mm                                                                                                                                         | 0  |
| 17 | 1318/0511Z     | Bolt M12x45mm lg,TUF-LOK                                                                                                                                | 4  |
| 18 | 157/30109      | Shim 3mm thick                                                                                                                                          | 0  |
| 19 | 159/69914      | Pad Wear, 45 x 150 x 19mm<br>< Supersession                                                                                                             | 2  |
| 20 | 158/30499      | Shim 1.6mm<br>< Supersession                                                                                                                            | 0  |
| 21 | 158/30500      | Shim 3.00mm<br>< Supersession                                                                                                                           | 0  |

|    |            |                                   |   |
|----|------------|-----------------------------------|---|
| 23 | 1318/0509Z | Setscrew M12 x 35 mm TUF-LOK      | 6 |
| 24 | 162/03638  | Plate 10 mm Thick                 | 0 |
| 25 | 1305/3956Z | Bolt 1"UNF x11"<br>Supersession > | 0 |
| 26 | 331/32853  | Shim 150 x 45 x 0.5 mm            | 0 |
| 27 | 1318/0507Z | Bolt M12x25mm long,TUF-LO K       | 4 |
| 29 | 333/E0486  | Guide hose<br>Supersession >      | 1 |