




259490

1	458/20404	Joint knuckle swivel lockstop	1
1A	458/20405	Joint knuckle swivel lockstop	1
2	458/20061	Trunnion < Supersession <i>The grease zerk hole in this part is not threaded. The grease zerk is self tapping.</i>	4
4	907/08300	Bearing Taper Roller Supersession > <i>Includes race and roller as a set</i>	4
5	904/06700	Seal Trunnion	4
6	1321/0509	Screw <i>On USA P90 Loadalls, 1392/3509 must be used for axel trunnion bearings mounting applications.</i>	16
7	816/60056	Nipple Grease Supersession > Self Tapping type	4
8D	:914/83303	Circlip < Supersession	1
8C	:914/86203	Spacer Central	1
8B	:914/86204	Shaft axle side 960.5mm long	1
8B	:914/86301	Shaft Axle Side 511.5mm Long	1
8	914/88100	Shaft Drive Assembly 1275mm long	1
8A	:914/88101	Shaft Hub Side	1
8	914/88200	Shaft Drive Assembly 825mm long	1
9	:914/86202	Kit-spider	2
10	⊘ Not for sale	'See Remark'	2
15	917/50200	Bearing Needle Roller NK 45/30 <i>Can also be part Number 917/50500 in some applications</i>	2
16	904/50047	Seal	2

